



NOTE 1.



SKETCH 'A'


METHOD OF WIRING 'M' CHAIN OVER TWO 5-WAY SHELVES. (REAR VIEW)

MULTIPLE AS SPEC'D TO OTHER SHELF ON SAME OR OTHER RACK SERVED BY SAME ENQUIRY CCT (NOTE 3)




TO LINE VIA M.D.F. (NOTE 3)
TO SELR. MULT (VIA T.D.F. OR GRADING SHELF IF REQD) (NOTE 8)
TO LINE JACK & LAMP RESIST ON MANUAL BOARD

MULTIPLE AS SPEC'D TO OTHER CCTS ON SAME SHELF SERVED BY SAME ENQUIRY CCT.



TO ENQUIRY CCT.

TO U17 OF NEXT CCT IN GROUP




1ST CCT. IN GROUP ONLY FROM U19 OF PREVIOUS CCT. IN GROUP (NOTE 9)

TO NIGHT SERVICE JACK ON MANUAL BOARD (NOTE 3)

TO NIGHT SERVICE ACCESS CCT (NOTE 4)


TO FUSE PANEL

MULTIPLE TO OTHER JACKS ON SAME SHELF



SEE COMMON SERVICES.


MULTIPLE TO OTHER SHELVES ON SAME RACK



TO NIGHT SERVICE ACCESS CCT. (NOTE 4)

TO NIGHT SERVICE JACK ON MANUAL BOARD (NOTE 3)

TO LINE LAMPS ON MANUAL BOARD (NOTE 6)



NOTE 1

NOTE 4

NOTE 5

NOTE 7

NOTE 5

NOTES 3 & 4

NOTES:

1. SHELF JACK POINTS U9-U11, U17-U19 & U59-U61 MAKE CONTACT WHEN RELAY SET IS REMOVED.
2. ALL WIRING BEARING A COLOUR CODE TO BE 0.7mm UNLESS OTHERWISE SHOWN.
3. ON CIRCUITS WITH DIRECT EXTENSION NIGHT SERVICE, CUT STRAP SHOWN AND ADD CABLING SHOWN .
4. ON CIRCUITS ASSOCIATED WITH NIGHT SERVICE ACCESS CCT, CUT STRAPS SHOWN & ADD CABLING SHOWN .
5. WHEN P.A.B.X. EXTENSION IS PERMITTED TO FLASH PUBLIC EXCHANGE OPERATOR, ADD STRAP SHOWN .
6. WHEN VISUAL ENGAGED SIGNAL IS REQUIRED ON MANUAL BOARD, ADD CABLING SHOWN .
7. WHEN IMMEDIATE BUSY FACILITY IS REQUIRED, STRAP U73-U75 FOR PUBLIC EXCHANGE WITH RING RETURN EARTH OR STRAP U71-U73 FOR PUBLIC EXCHANGE WITH RING RETURN BATTERY.
8. ON INCOMING EXCHANGE LINES, OMIT CABLING TO SELECTOR MULT.
9. THE NORMAL RATE OF PROVISION IS ONE ENQUIRY CCT. PER 10 EXCHANGE LINES & THE LATTER MAY BE EQUIPPED ON SHELVES WITH CAPACITY FOR 5 OR 10 RELAY SETS. WHEN EQUIPPED ON 5-WAY SHELVES, SHELF JACK POINTS U13, 25, 26, 28, 31 & 32 SHALL BE COMMONED OVER TWO SHELVES AND THE 'M' CHAIN WIRED AS SHOWN IN SKETCH 'A'

				EXCHANGE LINE CIRCUIT	
				50/1200 LINE P.A.B.X.	
RETRACED & METRICATED	(157605)	2	20.9.78	G.H.B.	
	(72916)	1	10.7.56.		
AMENDMENT	PARTICULARS	ISSUE	DATE	APD.	80V W
N.Z.P.O.	DRAWN	CKD	WIRING	CIRCUIT.	15220 GBU.