

5 Centimetres

10


15

20

25

30

FIG. 1A. E. FOR IG.
D.S.R. REGULAR & PARTY LINE.
AS SEEN FROM REAR.



- MC R-O
- Z R-G
- N R-BN
- H R-B-S
- 3W R-B-W
- LD2 R-B-O
- LD1 R-B-G
- SE R-B-BN
- P R-O
- JH2/25 R-B-W
- H R-G
- B B-W
- dm2 R-BN
- OF R-B-O
- JH2/24 R-S
- UB2 R-B-O
- USO R-B-G
- UGO R-G
- UG1 R-O
- UB2 R-B-O
- USO R-B-G
- UGO R-G
- UG1 R-O

TO ASSOCIATED RELAY SET CIRCUIT

TO ASSOCIATED JUNCTION HUNTER

MULT TO OTHER JACKS ON SHELF

MULT TO OTHER SHELVES ON RACK

- LEVEL 9 R-B
- 8 R-O
- 7 R-G
- 6 R-BN
- 5 R-S
- 4 R-B-W
- 3 R-B-O
- 2 R-B-G
- 1 R-B-BN
- 0 R-B-S
- U26 R-S 22 SWG
- U24 R-B-W
- U5 20 SWG R-O
- U3 R-S
- U4 Y
- U5 R-B-G
- U8 R-B-BN
- U9 R-B-W
- U6 R-B-O
- U8 R-B-BN
- U25 R-S
- U24 R-B-W
- U8 R-B-BN
- U6 R-B-O
- U8 R-B-BN
- U4 Y
- U3 R-S
- U9 R-B-W
- U5 R-O

TO VERTICAL BANK REAR

MULT TO OTHER JACKS ON SHELF

MULT TO OTHER SHELVES ON RACK

MULT TO NEXT SHELF

NOTES:

1. U9 & U11 TO MAKE CONTACT WHEN SELECTOR IS REMOVED.

2. COLOUR FOR 1st. PAIR OF SHELVES R-O R-G

3. ALL WIRE TO BE 23 SWG UNLESS OTHERWISE SPECIFIED

4. THESE COLOURS APPLY ONLY WHEN SELECTOR IS USED IN CONJUNCTION WITH RELAY SET TO GBU 10420/1/2/3/4 MOD B (2498) OR GBU 10422/2/3/4 MOD B (2498). WHEN USED WITH FIG 1B SEE GBU 10420 FIG 1B FOR COLOURS OF THESE LEADS.

WAS GBU 10420/1/2/3/4 MOD B (2498)	9-7-73	B5H
AMENDMENT PARTICULARS	ISSUE	DATE APPD.
N.Z. P.O.	DRAWN	CHECKED
	WIRED	ENGINEER

DISCRIMINATING SELF REPEATER
REGULAR & PARTY LINE
200 OUTLET 2000 TYPE
WITH OVERFLOW ROUTING FACILITY

50V. F.


GBU 20180 20183
20181 20184
20182

SHEET 1-3

5. ON SOME EARLY EQUIPT. NEG BATT WIRING IS BK AND POS. BATT WIRING IS R-B.

0 5 Centimetres 10 15 20 25 30

AS SEEN FROM REAR.



NOTES:-

- ALL WIRING TO BE 25 SWG UNLESS OTHERWISE SPECIFIED.
- JACK POINTS U9 & U11, U59 & U61, U109 & U111 TO MAKE CONTACT WHEN RELAY SET IS REMOVED.
- LEADS M, K & JA ARE LOOPED TO POINTS ON SAME SHELF JACK AS REQUIRED IN ACCORDANCE WITH NUMBERING SCHEME.
- ON SOME EARLY EQUIPMENT BATTERY WIRING IS BK.

FIG. 1D
DISCRIMINATING RELAY SET.

ABSORBS 1ST & 2ND DIGIT.
DISCRIMINATES ON 1ST, 2ND & 3RD
(3 CIRCUITS PER BASE.)

DISCRIMINATING SELF REPEATER REGULAR & PARTY LINE 200 OUTLET 2000 TYPE WITH OVERFLOW ROUTING FACILITY			
WAS GBU 10420/1/2/3/4 MOD B (2498)	1	6-7-73	BSH
AMENDMENT PARTICULARS	ISSUE	DATE	APPD.
N.Z. P.O.	DRAWN	CHECKED	WIRING
			CIRCUIT.
GBU 20180 20181 20182			20183 20184
SHEET 3-3.			50V E