


FIG A



NOTE 1.1

NOTE 1.2





NOTE

- 1.1 WHEN LOCAL CONDITIONS DO NOT REQUIRE I.D.F. TERMINATIONS, THESE LEADS MAY BE CABLED DIRECT.
- 1.2 THIS LEAD PROVIDED FOR OPERATION OF 2 WIRE AMPLIFIERS (NEGISTORS) & IS ONLY CABLED TO I.D.F. WHEN REQD TAG BLOCK AS SHOWN.

T.D.F. O/G

AUTO TO AUTO. RELAY SET WITH FORWARD HOLDING 2000 TYPE				
AMP LEAD & NOTE 1.2 ADDED	(69500)	4	18-11-63	OBK
NO CHANGE, ISSUE ADVANCED	(42433)	3	12-10-61	WIK
	(31481)	1	4-5-54	WIK
AMENDMENT PARTICULARS	ISSUE	DATE	APPD	C
N.Z.P.O.			19/6/62	
GBX. 12130				SHEET 1-7

FIG. C.



TYPICAL MARKING


NOTE
 3.1. WHEN LOCAL CONDITIONS DO NOT REQUIRE I.D.F. TERMINATIONS, THESE LEADS MAY BE CABLED DIRECT.
 3.2. THIS LEAD PROVIDED FOR OPERATION OF 2 WIRE AMPLIFIERS (NEGISTOR) AND IS ONLY CABLED TO I.D.F. WHEN REQ'D TAG BLOCK AS SHOWN.

AMP LEAD & NOTE 3-2 ADDED	(G9500)	4	18-11-61	DBH
NO CHANGE, ISSUE ADVANCED	(42433)	3	12-10-61	WLB
	(31481)	1	4-5-54	QTH
AMENDMENT PARTICULARS		ISSUE	DATE	APP'D
N.Z.P.O.				

**AUTO TO AUTO RELAY SET
 WITH
 FORWARD HOLDING
 2000 TYPE**

GBX. 12130
 SHEET 3-7


FIG. D.



NOTE
 4.1. WHEN LOCAL CONDITIONS DO NOT REQUIRE I.D.F. TERMINATIONS, THESE LEADS MAY BE CABLED DIRECT.
 4.2. THIS LEAD PROVIDED FOR OPERATION OF 2 WIRE AMPLIFIERS (NEGATOR) AND IS ONLY CABLED TO I.D.F. WHEN REQD. TAG BLOCK AS SHOWN.

				AUTO TO AUTO RELAY SET WITH FORWARD HOLDING 2000 TYPE	
AMP LEAD & NOTE 4-2 ADDED.	(69500)	4	18-11-63	DBK	
NO CHANGE, ISSUE ADVANCED	(32433)	3	12-10-61	WPK	
	(31481)	1	4-5-54	CLW	
AMENDMENT PARTICULARS	ISSUE	DATE	APPD		C
N.Z.P.O.	R.W.E.		WPK/CLW	GBX. 12130	
			17.6.52		SHEET 4-7

FIG. E.





NOTE
 5.1. WHEN LOCAL CONDITIONS DO NOT REQUIRE I. D. F. TERMINATIONS, THESE LEADS MAY BE CABLED DIRECT.
 5.2. THIS LEAD IS PROVIDED FOR OPERATION OF 2 WIRE AMPLIFIERS (REGISTORS) AND IS ONLY CABLED TO I. D. F. WHEN REQD. TAG BLOCK AS SHOWN

				AUTO TO AUTO RELAY SET WITH FORWARD HOLDING 2000 TYPE	
AMP LEAD & NOTE 5.2 ADDED	(69500)	4	18.11.63	DBH	
NO CHANGE, ISSUE ADVANCED	(42433)	3	12.10.61	WLB	
	(31481)	1	4.5.54	CSM	
AMENDMENT PARTICULARS		ISSUE	DATE	APPD	C
N.Z.P.O.	R.W.F.		W.S.A./L.S.D.	GBX. 12130	
			17.6.52		SHEET 5-7

FIG. F

I. D. F.



NOTES:
 G.1 THIS LEAD PROVIDED FOR OPERATION OF 2 WIRE AMPLIFIERS (NEGISTORS) AND IS ONLY GABLED TO I.D.F. WHEN REQUIRED. TAG BLOCK AS SHOWN.

I.D.F. MULT. NOTE G.1.


I.D.F. MULT.

AMP LEAD & NOTE G.1 ADDED	(69500)	4	18-11-63	DBK
NO CHANGE, ISSUE ADVANCED	(42433)	3	12-10-61	PLAT
	(31481)	1	4-5-54	PLAT
AMENDMENT PARTICULARS	ISSUE	DATE	APP	C
N.Z.P.O.				

AUTO TO AUTO RELAY SET
 WITH
 FORWARD HOLDING
 2000 TYPE.


GBX 12130

FIG G.



NOTES :
 7-1 WHEN LOCAL CONDITIONS DO NOT REQUIRE I.D.F. TERMINATIONS THESE LEADS MAY BE CABLED DIRECT.
 7-2 THIS LEAD PROVIDED FOR OPERATION OF 2 WIRE AMPLIFIERS (NEGISTORS) AND IS ONLY CABLED TO I.D.F. WHEN REQUIRED. TAG BLOCK AS SHOWN.

TYPICAL MARKING



AMENDMENT PARTICULARS		ISSUE	DATE	APPD
N.Z.P.O.	DRAWN B.C.	CHK D R.G.	WIRING	CIRCUIT
AMP LEAD & NOTE 7-2 ADDED (69500)		4	18-11-63	D.B.H
FIG. G AMENDED TO SHOW I.D.F. C/G END. (42433)		3	12-10-61	K.G.H.
		2		

**AUTO TO AUTO RELAY SET
WITH
FORWARD HOLDING
2000 TYPE**

GBX 12130

SHEET 7-7

SIZE : F C