



FIG. A. (NOTE 1-1).

NOTES. 1-1. FOR METALLIC GENR. SIGNALLING AND D.C. DIALLING CIRCUITS, OR FOR PHANTOM GENR. SIGNALLING AND D.C. DIALLING CIRCUITS.
 1-2. EXCH. SIDE OF M.D.F. CABLED DIRECT TO TEST RACK IF SEPARATE CARRIER IDF IS NOT PROVIDED



				S. C. S. BOTHWAY TRUNK GENERATOR SIGNALLING AND D.C. DIALLING PAD CONTROL 2000 TYPE	
		(39553)	A	7-7-71	B. S. H.
AMENDMENT PARTICULARS.			ISSUE	DATE.	APPD.
			SIZE		F
			W		
N.Z.P.O.		DRAWN D.S.	CHECKED	WIRING.	CIRCUIT
GBX. 13030 MOD C SHT					1-4

FIGD.



BOTHWAY TRUNK GENR. SIG & DC. DIALLING GBW 13030 OR EQUIV.

RD 192

S.C.S.
BOTHWAY TRUNK GENERATOR SIGNALLING AND DC. DIALLING PAD CONTROL. 2000 TYPE

AMENDMENT PARTICULARS		ISSUE	DATE	APPD.
(39553)		A	7-7-71	B.S.H.
N.Z.P.O.	DRAWN	CHECKD.	WIRING	CIRCUIT
			fa	PH

SIZE F W
GBX 13030 MOD. C SHT 4-4