


FIG. A BOTHWAY JUNCTIONS.



NOTES:
 (1) THESE LEADS MAY BE WIRED DIRECT TO I/C R/S & NOT CABLED VIA ID.F.

NOTE (1)
 TYPICAL MARKING ONLY


N.Z.P.O.		DRAWN	CHECKED	WIRING	CIRCUIT
		GA	0.58	4.90	
AMENDMENT PARTICULARS		ISSUE DATE		APPD	
		1-8-58			
I/C R/S & NOTE 1 ADD. SHT 1 FIGURED SHTS 283 ADD. (74283)		2	15-7-63	DBH	

**WE SLEEVE CONTROL SYSTEM
 O/G JUNCTION RELAY SET
 TOLL-A.M.X. WITH TRK OFFER
 AND SELECTOR ACCESS TO A.M.X.
 2000 TYPE**

GBX 15350

SHEET 13

FIG. B. N.Z. SIGNALLING SYSTEM A.C. N°3 JUNCTIONS



AMENDMENT PARTICULARS	(74203)	2	15-7-68	DBK
DRAWN	CHECKED	WIRING	CIRCUIT	
H.B.	H.B.			

W.E. SLEEVE CONTROL SYSTEM
O/G JUNCTION RELAY SET
TOLL-A.M.X. WITH TRK. OFFER
AND SELECTOR ACCESS TO A.M.X.
2000 TYPE

GBX 15350

