

RELAY DESIGN FOR CIRCUIT GBW 10801 SHEET 1/2

TITLE 200 LINE FINAL SELECTOR 2-10 PBX
WITH TOLL FACILITIES
POSITIVE BATTERY METERING.
2000 TYPE.

COMMITTEE'S WIRING DIAGRAM N° _____

RELAY NAME	COMM. CODE	IF NEW CODE (card attached)	DEPARTURES FROM DIAGRAM		SPRING NUMBERING CONTACT UNIT NUMBER								REFERENCES TO NOTES BELOW			
			RESISTANCE	CONTACTS	1	2	3	4	5	6	7	8				
A	1426A				1 2 3											B
B	4600				1 2 3 4 5	21 22	23 24	3 4	6 7 8	25 26 27						
C	1427				3 4 5	6 7 8	1 2	21 22	23 24	25 26 27	28 29					
D	10819				1 2	3 4 5	6 7 8	21 22	23 24	25 26 27	28 29					
DA	4590				1 2	21 22	23 24	3 4 5								
DB	4591				21 22	26 27	3 4 5	6 7 8	1 2	23 24 25	28 29					
E	4601				6 7	8 9	1 2	21 22	3 4 5	26 27	28 29	23 24 25				
G	4602P				21 22	23										
WS	1669				21 22	26 27	1 2 3	4 5 6	7 8	23 24 25	28 29					
H	4658				1 2	3 4	5 6	21 22	23 24	27 28	25 26					

NOTES SPECIAL FACTORS OF SAFETY A
 SPECIAL ADJUSTMENTS B
 CIRCUIT POINTS OR MODIFICATIONS C

CLASS	RELAY	NOTES
		YA/YB/YC YD/YE/YF
		A
		B H
		G HS
		OC C
		TL HR
		F E
		DA D
		DB WS

1551 24-8-50
 TR Relay 4069 Deleted.
 ISS. 2. 30-5-51
 CONTACT UNITS NOS
 REVISED
 ISSUE No 3 12-6-52

DATE 22-8-50
 SIGNED FOR *AW*
 COMMITTEE ATRFCO LTD

Centimetres 0 5 10 15 20 25 30

