

RELAY DESIGN FOR CIRCUIT GBW 13980 SHEET 1 OF 2

TITLE UAX NZ 13 INCOMING JUNCTION FROM PARENT OR NON
DEPENDENT EXCHANGE

COMMITTEE'S WIRING DIAGRAM N^o _____

RELAY NAME	COMM CODE	IF NEW CODE (card attached)	DEPARTURES FROM DIAGRAM		SPRING NUMBERING CONTACT UNIT NUMBER								REFERENCES TO NOTES BELOW		
			RESISTANCE	CONTACTS	1	2	3	4	5	6	7	8			
1BA	2622				2 1	4 3	6 5	22 21	24 25						
1LA	74904				3 2										B
1HB	1630				2 1	5 4	7 6	9 8	22 21	25 24	27 26	29 28			B
1HA	1630				2 1	5 4	7 6	9 8	22 21	25 24	27 26	29 28			B
1K	1904				1 3	4 6	7 8	9 8	22 21	25 24	27 26	29 28			1.(b)
1P	72170				2 1	4 3	6 5	22 21	25 24						
1LB	10186				2 1										
1JA	1397				2 1	4 3	6 5	22 21	25 24						
2BA	2622				2 1	4 3	6 5	22 21	25 24						
2LA	74904				3 2										B

NOTES SPECIAL FACTORS OF SAFETY **A**
 SPECIAL ADJUSTMENTS **B**
 CIRCUIT POINTS OR MODIFICATIONS **C**

ASS	RELAY	NOTES																				
		1.(b) SPRINGS 29,29 ARE 'y' ADJUSTED.																				
		STRIP CONN. 15C 121A AT REAR. <table border="1" style="margin: auto; border-collapse: collapse;"> <tr> <td>1LA</td> <td>1HA</td> <td>1P</td> <td>1JA</td> <td>2LA</td> <td>2HA</td> <td>2P</td> <td>2JA</td> <td>2R 1,2,3</td> <td>2MR 1,2</td> </tr> <tr> <td>1BA</td> <td>1HB</td> <td>1K</td> <td>1LB</td> <td>2BA</td> <td></td> <td>2K</td> <td>2LB</td> <td>1R 1,2,3</td> <td>1MR 1,2</td> </tr> </table> STRIP CONN. 25C 121A AT REAR.	1LA	1HA	1P	1JA	2LA	2HA	2P	2JA	2R 1,2,3	2MR 1,2	1BA	1HB	1K	1LB	2BA		2K	2LB	1R 1,2,3	1MR 1,2
1LA	1HA	1P	1JA	2LA	2HA	2P	2JA	2R 1,2,3	2MR 1,2													
1BA	1HB	1K	1LB	2BA		2K	2LB	1R 1,2,3	1MR 1,2													
		1R1 120 (9) 1MR1 1/6A 1R2 120 (9) 1MR2 1/6A 1R3 3000 (12) 2MR1 1/6A 2R1 120 (9) 2MR2 1/6A 2R2 120 (9) 2R3 3000 (12) TJ 6+6																				

DATE 4 Nov 53
 SIGNED FOR COMMITTEE AWT. A.T.&E. CO. LD

53-11-72-1531

RELAY DESIGN FOR CIRCUIT GBW13980 SHEET 2 OF 2

TITLE UAX NZ 13 INCOMING JUNCTION FROM PARENT OR NON
DEPENDENT EXCHANGE

COMMITTEE'S WIRING DIAGRAM N° _____

RELAY NAME	COMM. CODE	IF NEW CODE (card attached)	DEPARTURES FROM DIAGRAM		SPRING NUMBERING CONTACT UNIT NUMBER								REFERENCES TO NOTES BELOW
			RESISTANCE	CONTACTS	1	2	3	4	5	6	7	8	
2 HB	1630				2 1	5 3	7 4	9 6	22 8	25 23	27 26	29 28	B
2 HA	1630				2 1	5 3	7 4	9 6	22 8	25 23	27 26	29 28	B
2 K	1904				2 1	5 3	7 4	9 6	22 8	25 23	27 26	29 28	1.(B)
2 P	72170				2 1	5 3	7 4	9 6	22 8	25 23	27 26	29 28	
2 LB	10186				2 1								
2 JA	1397				2 1	5 3	7 4	9 6	22 8	25 23	27 26	29 28	

NOTES SPECIAL FACTORS OF SAFETY A
 SPECIAL ADJUSTMENTS B
 CIRCUIT POINTS OR MODIFICATIONS C

CLASS	RELAY	NOTES
		1.(B). SPRINGS 28,29 ARE 'Y' ADJUSTED. FOR LAYOUT SEE SHEET 1/2.

DATE 4 Nov 53
 SIGNED FOR COMMITTEE ATRE

1551 24-11-53