

RELAY DESIGN FOR CIRCUIT **GBW 14540** FIG. 1

TITLE **CONFERENCE CIRCUIT WITH PRIORITY P.A.B.X.'S (MASTER CONFERENCE CCT.)**

COMMITTEE'S WIRING DIAGRAM NO. \_\_\_\_\_

RELAY NAME	COMM. CODE	DEPARTURES FROM DIAGRAM		SPRING NUMBERING CONTACT UNIT NUMBER								REFERENCES TO NOTES BELOW	
		RESISTANCE	CONTACTS	1	2	3	4	5	6	7	8		
LA	60696				3 5	23 25	1 2	21 22	28 29	8 9	6 7	26 27	B
ST	6125				23 24	5 6	21 22	3 4	1 2				
SR	60709				3 4	5 6	27 28	23 24	21 22	25 26			
G	60707				5 6	3 4	21 22	1 2	23 24				
F	6651				1 2								B
FR	7051				6 8	23 25	26 27	21 22	28 29	3 5	4 2	1 2	
D	60711				1 2	21 22							
TG	4417				3 5	1 2	21 22						
HT	HS 614				2 6	4							B
H	60034				1 2	3 4	5 7	23 24	25 26	21 22	27 28		

NOTES SPECIAL FACTORS OF SAFETY A  
 SPECIAL ADJUSTMENTS B  
 CIRCUIT POINTS OF MODIFICATIONS C

CLASS	RELAY	NOTES

LAYOUT FRONT VIEW

R1/R2/R3	LA
	SR
	D
	HT
	F
	TG
	BG

ISSUE: 1  
 H-WAS 6930  
 ISS. 2. 12. 6. 58  
 RELAY "H" SPRG.  
 ASS. CORRECTED  
 TO COV. ISS. 2  
 ISS 2A 37-59

DATE 2.2.56

SIGNED FOR COMMITTEE

5 Centimetres 10 15 20 25 30

RELAY DESIGN FOR CIRCUIT **GBW 14540** FIG. 1

TITLE **CONFERENCE CIRCUIT WITH PRIORITY P.A.B.X.'S**  
**(MASTER CONFERENCE CCT.)**

COMMITTEE'S WIRING DIAGRAM NO.

RELAY NAME	COMM. CODE	DEPARTURES FROM DIAGRAM		SPRING NUMBERING CONTACT UNIT NUMBER								REFERENCES TO NOTES BELOW		
		RESISTANCE	CONTACTS	1	2	3	4	5	6	7	8			
BG	6027													
PR	1051													
CO	2397													

NOTES  
 SPECIAL FACTORS OF SAFETY A  
 SPECIAL ADJUSTMENTS B  
 CIRCUIT POINTS OF MODIFICATIONS C

CLASS	RELAY	NOTES

DATE 2.2.56

SIGNED FOR COMMITTEE

*[Signature]*

SHEET 1 CHANGED ISS. 2.12.65 B

Centimetres 5 10 15 20 25 30

RELAY DESIGN FOR CIRCUIT **GBW 14540** FIG. 2

TITLE **CONFERENCE CIRCUIT WITH PRIORITY  
P.A.B.X'S  
(EXTENSIONS CONFERENCE CIRCUIT)**

COMMITTEE'S WIRING DIAGRAM NO. \_\_\_\_\_

RELAY NAME	COMM. CODE	DEPARTURES FROM DIAGRAM		SPRING NUMBERING CONTACT UNIT NUMBER								REFERENCES TO NOTES BELOW		
		RESISTANCE	CONTACTS	1	2	3	4	5	6	7	8			
CL	60692			1 2	3 4	5 6	21 22	23 24						
CK	60712			1 3	4 6	5 9	7 8	22 23	24 25	26				

NOTES SPECIAL FACTORS OF SAFETY A  
SPECIAL ADJUSTMENTS B  
CIRCUIT POINTS OF MODIFICATIONS C

CLASS	RELAY	NOTES																
		<p>LAYOUT FRONT VIEW</p> <table border="1"> <tr> <td>1RI</td> <td>4RI</td> </tr> <tr> <td>2RI</td> <td>5RI</td> </tr> <tr> <td>3RI</td> <td></td> </tr> <tr> <td>1CL</td> <td>1CK</td> </tr> <tr> <td>2CL</td> <td>2CK</td> </tr> <tr> <td>3CL</td> <td>3CK</td> </tr> <tr> <td>4CL</td> <td>4CK</td> </tr> <tr> <td>5CL</td> <td>5CK</td> </tr> </table>	1RI	4RI	2RI	5RI	3RI		1CL	1CK	2CL	2CK	3CL	3CK	4CL	4CK	5CL	5CK
1RI	4RI																	
2RI	5RI																	
3RI																		
1CL	1CK																	
2CL	2CK																	
3CL	3CK																	
4CL	4CK																	
5CL	5CK																	

DATE 2.2.56.

SIGNED FOR COMMITTEE *[Signature]*

ISSUE 1 SHEET 1 CHANGED 195.2.12.6.58.