

RELAY CODES & COMPONENTS LIST RCCL GBW 16790 MOD. A

ROUTINER FOR GROUP SELECTOR W/O BUSY FLASH  
TEST UNIT - 2000 TYPE

RELAY	RC CODE	DIAG. FIG.	SLICK	COMPL. DESIGNATION	BPO CODE	NOTES
A	6119			YAA	225 <sup>Ω</sup>	
				YAB	225 <sup>Ω</sup>	
AE	20517		C1	YAC	225 <sup>Ω</sup>	
				YD	120 <sup>Ω</sup>	
AO	1005			YE	150 <sup>Ω</sup>	
AR	6535		C2	YF	150 <sup>Ω</sup>	
				YG	200 <sup>Ω</sup>	
B	4365			YH	RES COIL No. 9 200 <sup>Ω</sup>	
				YJ	215 <sup>Ω</sup>	
BA	2093			YK	230 <sup>Ω</sup>	
				YL	250 <sup>Ω</sup>	
BB	2093			YM	400 <sup>Ω</sup>	
BI	71557			YN	100 <sup>Ω</sup>	
BT	40695P		C3	YC	120 <sup>Ω</sup>	
				YR	300 <sup>Ω</sup>	
CF	4073			YS	800 <sup>Ω</sup>	
				YT	1000 <sup>Ω</sup>	
CQ	20518			YU	1200 <sup>Ω</sup>	
				YV	1200 <sup>Ω</sup>	
DE	10321			YW	RES COIL No. 12 1200 <sup>Ω</sup>	
DR	20519			YX	2500 <sup>Ω</sup>	
DS	4295			YY	3080 <sup>Ω</sup> ±1%	
				YP	800 <sup>Ω</sup>	
DU	4139			YQ	800 <sup>Ω</sup>	
DV	1618			YZ	10700 <sup>Ω</sup> ±1%	

NOTES: A - SPECIAL FACTORS OF SAFETY B - SPECIAL ADJUSTMENTS C - CCT POINTS OF MODIFICATIONS.

C1 - RELAY AE - SPG5 25 & 26 SPARE LAYOUT

C2 - RELAY AR - SPG3 SPARE.

C3 - RELAY BT - SPG1 SPARE.

NOTE: SEE SHT 3 FOR MOD A ITEMS

SEE VIEW A		SEE VIEW B		AR		TTDI	
TS	AE	TS	AE	LA	GA	RC	MRE/C
TQ (GAP)	DV	TQ (GAP)	DV	LB	BA	GA	MRF/D
	DY		DY	LC	GA	BT	TD
				LD	BB	H	LI
				WF	AO	LT	BI
				WG	DE	WM	TA
				SS	RT	Z	PL
				SZ	GF	IR	NL
				KA	RS	PB	KC
				KB	SS	PA	DE
				PX	PY	PZ	PW
				PE	PF	PG	PH
		SEND	TEST				TC
		IP	TU	A	DS		
		IG		B	TR		

\* RELAY BI TO BE FITTED WITH SHIELD

NZPO  
(91402) 20-11-64 86.

CHANGE AT  
15.12.65/14  
27.1.66/29.1.62  
A

ORIGINATED BY: GEC  
DATE: 26. 8. 64  
SIGNED FOR COMMITTEE: [Signature]

RELAY CODES & COMPONENTS LIST RCCL GBW 16790 MOD A


ROUTINER FOR GROUP SELECTORS W/O BUSY FLASH  
TEST UNIT 2000 TYPE

RELAY	RCY CODE	DIAG. FIG	NOTES	COMPT. DESIGNATION	BPO CODE	NOTES
DY	4194		C1	ZA	RES COIL N° 12 1400Ω	
GQ	20518			RES ON RD RES ON QB	RES COIL N° 6 200Ω RES COIL N° 6 200Ω	
H	1816		C2	MRA		
IP	2017			MRB	2N/6AZ	
IQ	10313P			MRC		
IR	10313P			MRD		
KA	20442			MRE	4/6AZ	
KB	20442			MRF		
KC	4545			RES ON QA	RES COIL N° 6 100Ω	
LA	10322			QA	N° 102	
LB	10322			QB	N° 101	
LC	10167			QD		
LD	10167			QE	N° 8001	
LI	20507			QF		
LT	20520			KNE + KPE + KIC + K2C	N° 212	
NL	20498		B1	KBT	N° 68	
				KBFI		
				TTDI		NO B.P.O EQUIVALENT
				SCA		FOR MOUNTING D2, D3
				D1	IN 4003	OR EQUIV
				D2	IN 4003	OR EQUIV
				D3	IN 4003	OR EQUIV
				YMA, YMB	9 (300Ω)	

NOTES: A SPECIAL FACTORS OF SAFETY B SPECIAL ADJUSTMENTS C CCT POINTS OF MODIFICATIONS.  
 C1- RELAY DY SPGS 78.9 SPARE  
 C2- RELAY H SPGS 3 7, 23, 24, 25, 26, 27, 28, 29 AND WOG 26 SPARE LAYOUT

B1- RELAY NL- T & R/A FIGS

VIEW A



N.Z.P.O.  
(91402) 20-11-64

ISS CHANGE APP  
19-12-65/141 GGC  
27-1-66/54650

GEC  
DATE 27-8-64  
SIGNED FOR [Signature]

RELAY CODES & COMPONENTS LIST RCCL GBY 16790 MOD A

ROUTINER FOR GROUP SELECTORS W/O BUSY FLASH  
TEST UNIT 2000 TYPE.

RELAY	RC CODE	DIAG. FIG	NOTES	COMPT. DESIGNATION	BPO CODE	NOTES
PA	72276					
PB	2318		C2			
PE	20395					
PF	10137					
PG	20521		C1			
PH	7288					
PL	20498		B1			
PW	5423					
PX	20522					
PY	20523					
PZ	20524					
RS	20646					
RT	10152					
SG	10147					
SS	10146					
SZ	20525					

EC 44199 ELECTRONIC PULSE GENERATOR  
D4-7 IN 4007  
SCB/C STRIP TERMINAL  
TRI TRANSISTOR SEE NOTE

NOTES A SPECIAL FACTORS OF SAFETY C SPECIAL ADJUSTMENTS C CCT POINTS OF MODIFICATIONS.  
C1- RELAY PG- SPGS 21, 22. SPARE  
C2- RELAY PB- SPGS 23, 24, 25 SPARE  
B1- RELAY PL - T & R/A FIGS.  
NOTE: MOUNT COMPONENTS TO SUIT LOCAL CONDITIONS AND MARK UP RCCL ACCORDINGLY.

LAYOUT

YA/B/C	YD/E/F	YG/H/J	YK/L/M	YB/C/N
YR/S/T/W	YW/X/Y	YP/Q/Z/A	MRA	MRB

VIEW B

N.Z.P.O.  
(91402) 20-11-64

ISS CHANGE APP A 15.1265/14.006 27.1.86(54455)	ORIGINATED BY	GEC
	DATE	27.8.64
	SIGNED FOR COMMITTEE	<i>[Signature]</i>

RELAY CODES & COMPONENTS LIST RCCL GBW 16720 MOD A

ROUTINER FOR GROUP SELECTORS W/O BUSY FLASH TEST UNIT 2000 TYPE

RELAY	RC CODE	DIAG FIG	NOTES	COMPT. DESIGNATION	BPO CODE	NOTES
TA	H5521		B1			
TD	4031		C1			
TQ	7832		C2			
TR	6035					
TS	10333					
TU	N.Z. 50676 AD					
WF	20526		C3			
WG	10535					
WH	6050					
Z	6001					
RC	1524					

NOTES A SPECIAL FACTORS OF SAFETY B SPECIAL ADJUSTMENTS C CCT POINTS OF MODIFICATIONS.  
 B1- RELAY TA T&RA FIGS. LAYOUT  
 C1- RELAY TD SPGS 3,4 SPARE  
 C2- RELAY TQ SPGS 25,26 SPARE  
 C3- RELAY WF SPGS 6,7,8. SPARE.

NZPO  
 (91402) 20 11 64  
 66

15. CHANGE APD  
 A 15 1265/14 CGG  
 27-1-86(54650)

ORIGINATED BY G.E.C.  
 DATE 27 8 64  
 SIGNED FOR COMMITTEE [Signature]