

RELAY CODES & COMPONENTS LIST

GBW 20130

RINGING TONES & METER PULSE CIRCUIT WITH AUTO CHANGEOVER
75 WATT MACHINES TO GBW 15241.

5 Centimetres 10 15 20 25 30

RELAY	BCC CODE	DIAG. FIG	NOTES	COMP'L DESIG. NATION	BPO CODE	NOTES
SAA	10836			R1	N°9	
SAB	10836			R2	N°9	
SBA	10836			R3	N°12	
SBB	10836			R4	N°12	
SCA	10836			R5	N°12	
SCB	10836			R6	N°12	
SDA	10836			R11	N°12	
SDB	10836			R12	N°12	
SEA	10836			R13	N°12	
SEB	10836			R14	N°12	
SFA	10836			R15	N°12	
SFB	10836			R16	N°12	
SGA	10836			R17	N°12	
SGB	10836			R18	N°12	
SHA	10836			R19	N°12	
SHB	10836			(R20)	N°6	
				(R21)	N°6	
				(R22)	N°6	
				(R23)	N°6	
				(R24)	N°6	
				(R25)	N°6	
				(R26)	N°6	
				(R27)	N°6	
				(R28)	N°6	
				(R29)	N°6	

NOTES A SPECIAL FACTORS OF SAFETY B SPECIAL ADJUSTMENTS C CCT POINTS OF MODIFICATIONS

LAYOUT WIDE PANELS { FOR ALTERNATIVE LAYOUT ON NARROW PANELS SEE SHT2

1	SAA SAB	SBA SBB	SCA SCB	SDA SDB	SEA SEB	SFA SFB	RFA RFB	+	+	+			
2	SGA SGB	SHA SHB	SA SB	RFK RFL	RFM RFN	XY ST	RF SU	X TTA	Y TTB	+			
3	R1/ R2	R11/ R12/ R13/ R14/ R15	+	+	+	+	+	R34/ R37/ R38	+	+	+	MR1	MR2
	R3/ R4/ R5/ R6	R16/ R17/ R18/ R19	+	+	+	+	+	R35/ R36	+	+	+	MR3	MR4
4	+	+	+	+	C2 C3	C6 C7	C10 C11	+	+	+	+	+	+
	+	+	+	+	C4 C5	C8 C9	+	+	+	+	+	+	+
5	C13A C13B C13C C13D	C13E C13F C13G C14A	C14B C14C C14D C14E	C14F C15A C15B	C15C C15D C15E C15F	C15G C16A C16B C16C	C16D C16E C16F C16G	+	+	+	+	+	+
6	C20 C21 +	DT +	MSA MSB	TA TB	RV3 RV4	AT BT	RV1 RV2	+	+	+	+		

ISSUE 1	APP 44	ORIGINATED BY	GEC-AEI
POSITION OF DT ADDED (30524) DLM	26-2-71	DATE	8-3-71
ISS. 2 18-8-72		SIGNED FOR COMMITTEE	R. J. T.

RINGING TONES & METER PULSE CIRCUIT WITH AUTO CHANGEOVER
75 WATT MACHINES TO GBW1524

RELAY	BCC CODE	DIAG FIG	NOTES	COMP'L DESIG NATION	BPO CODE	NOTES
SA	4551P			R34	N°12	
SB	4551P			R35	N°12	
RFK	6278			R36	N°12	
RFL	6278			R37	N°12	
RFM	6278			R38	N°12	
RFN	6278			MR1	1/12A	
XY	6281			MR2	1/12A	
ST	4825			MR3	1/12A	
RF	6001			MR4	1/12A	
SU	6001			C2	N°101	
X	6022			C3	N°101	
Y	6022			C4	N°101	
TTA	73765P			C5	N°101	
TTB	73765P			C6	N°101	
LA	1523		RETARD.	C7	N°101	
RFA	2300			C8	N°101	
REB	2300			C9	N°101	
				C10	N°101	
				C11	N°101	
				C13A-G	N°102C	
				C14A-G	N°102C	
				C15A-G	N°102C	
				C16A-G	N°102C	

NOTES A. SPECIAL FACTORS OF SAFETY B. SPECIAL ADJUSTMENTS C. CCT. POINTS OF MODIFICATIONS

ALTERNATIVE LAYOUT FOR NARROW PANELS.

{ NOTE:- RELAYS RFA & REB TO BE MOUNTED WHERE CONVENIENT ON SITE.

1	SAA SAB	SBA SBB	SCA SCB	SDA SDB	SEA SEB	SFA SFB	TTA TTB	+	LA	
2	SGA SGB	SHA SHB	SA SB	RFK RFL	RFM RFN	XY ST	RF SU	X Y		
3	R1/ R2.	R11/ R12/ R13/ R14/ R15.	+	+	+	+	+	R34/ R37/ R38.	MR1 MR2	
	R3/ R4/ R5/ R6.	R16/ R17/ R18/ R19.	+	+	+	+	+	R35/ R36.	MR3 MR4	
4	+	+	+	C2 C3 C4 C5	C6 C7 C8 C9	C10 C11	+	+	+	
5	C13A C13B C13C C13D	C13E C13F C13G C14A	C14B C14C C14E	C14F C15A C15B	C15C C15D C15E C15F	C15G C16A C16B C16C	C16D C16E C16F C16G	+	+	+
6	C20 C21 +	DT +	MSA MSB	TA TB	RV3 RV4	AT BT	RV1 RV2	+	+	

5 Centimetres

10

20

25

30

NZPO

(30542) 18.8.72

ISSUE 1
26-2-71
POSITION OF DT ADDED.
(30544)
ISS. 2 18.8.72

ORIGINATED BY	GEC-AEI
DATE	8-3-71
SIGNED FOR COMMITTEE	R. I. J.

