

RELAY DESIGN FOR CIRCUIT **GBW 14670**

TITLE **20 LINE P A B X**  
**ENQUIRY CIRCUIT**

COMMITTEES WIRING DIAGRAM N°

RELAY NAME	COMM CODE	IF NEW CODE (CARD ATTACHED)	DEPARTURES FROM DIAGRAM		SPRING NUMBERING CONTACT UNIT NUMBER								NOTES	
			RESISTANCE	CONTACTS	1	2	3	4	5	6	7	8		
A	60359P				3 2 1 2 K R	22 21 M								TEST & P A FIGS B
B	60375				1 2 M R	3 4 M R	7 6 5 6 C	22 21 22 21 M	24 23 24 23 M	27 26 25 24 C				
CD	60378				1 2 B B	3 4 B B	5 6 B B	23 22 23 22 C	26 25 26 25 C					
D	60467				1 2 M C	3 4 M C	5 6 M C	22 21 22 21 M	25 24 25 24 K					
DF	2270				1 2 M C	3 4 M C	5 6 K	23 22 23 22 K						
E	7798				1 2 M B	3 4 B B	5 6 B B	22 21 22 21 M	25 24 25 24 C					
F	6832				1 2 B B	3 4 B B	5 6 C	22 21 22 21 B	24 23 24 23 B	27 26 25 24 C				
H	60471				1 2 M M	3 4 M C	5 6 C	22 21 22 21 M	24 23 24 23 M	26 25 26 25 B	28 27 27 26 B			
NR	60706				1 2 M C	3 4 C C	5 6 C C	23 22 23 22 C	26 25 26 25 K					
TR	71231				1 2 B C	3 4 K	5 6 B	22 21 22 21 C	25 24 25 24 K	28 27 26 25 K				

NOTES SPECIAL FACTORS OF SAFETY A  
SPECIAL ADJUSTMENTS B  
CIRCUIT POINTS OR MODIFICATIONS C

CLASS	RELAY	NOTES
		<p><b>LAYOUT</b></p> <p>R1/R2A/R2B R3/R6/R4</p> <p>* A B</p> <p>CD D</p> <p>† E F†</p> <p>H DF</p> <p>NR TR</p> <p>+ Z</p> <p>R1 R2A, R2B, R3 R6 = PO N° 9 TYPE</p> <p>R5, R4, = PO N° 12 TYPE</p> <p>C1 IN POSITION E1/1-4</p> <p>C2 IN POSITION E1/2-5</p> <p>R5 IN POSITION G1/A</p> <p>TEST JACK = PO N° 21 M</p> <p>* = RELAY SHIELD</p> <p>† = RELAY GUARD</p>

ORIGINATED BY T

DATE 22 2 56

SIGNED FOR COMMITTEE

5 Centimeters 10 15 20 25 30

ISSUE NO 22 2 56  
LAYOUT REVISED 22 5 57